


UTENSILI "MULTIUSO" FORANTI: "SEC.."


"ALL-PURPOSE" DRILLING TOOLS: "SEC.."



XCGT.. .N53

T2330

M



XCNT.. .N54


T516

K

T5320

P

M



XCGT.. .N57P

N3610

N



XCNT..EL .Z54

F7035

P

M

K

N

S



NEW




STORY, PASSION AND QUALITY TOOLS


SEC ... R/L

Ø 8-32

FORM A



FORM B



XCGT ...
.N57P



XCGT ...
.N53



XCNT ...
.N54







XCNT ...EL
.254



NEW

ART.	Prezzo Listino Price List	FORM	ØD	ØdA	ØD1	L1	L2	L3	L4	Z	kg	Nm			
SEC 08-150.04R/L	New 115,00	B	8	12	—	80,0	12,0	—	—	1	0,06	0,4+0,5	0401..	121837P	5506P
SEC 08-225.04R/L	165,00	A	8	10	15	60,5	18	38	22,5	1	0,03	0,4+0,5			
SEC 10-150.05R/L	New 115,00	B	10	12	—	90,0	15,0	—	—	1	0,07	0,5+0,6	0502..	12204P	5506P
SEC 10-225.05R/L	165,00	A	10	12	18	70	22,5	42	28	1	0,05	0,5+0,6			
SEC 12-150.06R/L	New 120,00	B	12	16	—	100,0	18,0	—	—	1	0,13	0,9+1,0	0602..	12225P	5507P
SEC 12-225.06R/L	170,00	A	12	16	23	79	27	45	34	1	0,09	0,9+1,0			
SEC 14-150.07R/L	New 125,00	B	14	16	—	110,0	21,0	—	—	1	0,14	1,0+1,2	0703..	1225P	5507P
SEC 14-225.07R/L	175,00	A	14	16	23	83	31,5	45	38	1	0,10	1,0+1,2			
SEC 16-150.08R/L	New 130,00	B	16	20	—	125,0	24,0	—	—	1	0,24	1,2+1,5	0803..	123008P	5508P
SEC 16-225.08R/L	180,00	A	16	20	28	93,5	36	50	43,5	1	0,17	1,2+1,5			
SEC 18-150.09R/L	New 145,00	B	18	25	—	135,0	27,0	—	—	1	0,30	1,2+1,5	09T3..	123008P	5508P
SEC 18-225.09R/L	195,00	A	18	25	36	108,5	40,5	56	52,5	1	0,30	1,2+1,5			
SEC 20-150.10R/L	New 165,00	B	20	25	—	150,0	30,0	—	—	1	0,50	3,0+3,5	10T3..	123509P	5515P
SEC 20-225.10R/L	210,00	A	20	25	36	111,0	45	56	55	1	0,30	3,0+3,5			
SEC 25-150.13R/L	New 190,00	B	25	32	—	180,0	37,5	—	—	1	0,90	4,0+5,0	1304..	124510P	5520P
SEC 25-225.13R/L	245,00	A	25	32	44	129	56,3	60	69	1	0,56	4,0+5,0			
SEC 32-150.17R/L	New 215,00	B	32	40	—	200,0	48,0	—	—	1	1,60	4,0+5,0	1705..	124510P	5520P
SEC 32-225.17R/L	280,00	A	32	40	54	157	72	70	87	1	1,07	4,0+5,0			



Tenacità + ↑

Toughness - ↓


CON ADDUZIONE LUBROREFRIGERANTE - WITH COOLANT SUPPLY
SENZA ADDUZIONE LUBROREFRIGERANTE - WITHOUT COOLANT SUPPLY

TORNITURA 1,5XD
TURNING 1,5XD

TORNITURA 2,25XD
TURNING 2,25XD

FORATURA
DRILLING

.N54
.Z54



- ☐ A RICHIESTA - ON REQUEST - AUF ANFRAGE - SUR DEMANDE / ☐ NEW
☒ APPLICAZIONE POSSIBILE - POSSIBLE APPLICATION
 MÖGLICHE ANWENDUNG - APPLICATION POSSIBLE



Made In Italy

A.G.S.
automation

www.agsautomation.it
info@agsautomation.it

BBO
TOOLS SYSTEM

www.bbotools.com
info@bbotools.it

SAU
QUALITY TOOLS ENGINEERING

www.sautool.com
infosau@sautool.it

GIBELLINI
Brand of SAU group

www.gibellinicaamera.com
info@gibellinicaamera.com

SAU
PROTOTYPING

www.sau3d.com
info@sau3d.com

ROLTOOLS
BRAND OF SAU GROUP

comunicazione@sautool.it

**FILIALE DI MODENA
MODENA SUBSIDIARY**

Via Mozart, 47
41122 Modena (MO) Italy
Tel. 0039 059 280706
Fax. 0039 059 280109
saumodena@sautool.it
www.sautool.it

**FILIALE DI TORINO
TORINO SUBSIDIARY**

Strada Vicinale della Cebroza 86-A
10156 Torino (TO) Italy
Tel. 0039 011 8960193
Fax. 0039 011 8960193
sautorino@sautool.it
www.sautool.it



SAU S.p.A.

Via dei Raseni, 6/B
41040 Polinago (MO) Italy
Tel. 0039 0536 47510
Fax. 0039 0536 47275
infosau@sautool.it
www.sautool.it